

# 92%

of Missouri College students  
**have not misused  
prescription drugs**  
in the past year.

This means that most Missouri College students have not taken medication without a doctor's prescription or abused a valid prescription in the past year.



[f @MoSafeRx](#)

**Prevent Prescription Drug Misuse**

[rx.missouri.edu](http://rx.missouri.edu)



Created with assistance from the Missouri Department of Mental Health and the Missouri Opioid State Targeted Response (STR) and Missouri State Opioid Response (SOR)

MACHB 2020, N=8769

**75%**

of Missouri college students  
**believe students are  
harming themselves,  
physically or otherwise,  
when they use  
prescription drugs  
without a doctor's  
prescription or do not  
use their own prescription  
medication as directed.**



[f @MoSafeRx](#)

**Prevent Prescription Drug Misuse**

[rx.missouri.edu](http://rx.missouri.edu)



Created with assistance from the Missouri Department of Mental Health and the Missouri Opioid State Targeted Response (STR) and Missouri State Opioid Response (SOR)

MACHB 2020, N=8769

# Drug Effects

Prescription Drug Type      Health Risks      Other Consequences

## Stimulants

**Adderall, Ritalin, Vyvanse, Concerta**

High fever, convulsions, anxiety, hostility, nervousness, seizures, increased heart rate, respiration rate and blood pressure

Stimulants put excessive strain on the heart which can lead to heart failure and death

## Pain Relievers

**Vicodin, Percocet, Oxycontin**

Liver damage, intoxication, decreased mental alertness and concentration, nausea, vomiting, confusion, decreased concentration and decreased pain threshold

Regular or long term misuse can lead to physical dependence and in some cases addiction

## Sleep Medications

**Ambien, Sonata, Lunesta, Rozerem**

Lowered blood pressure, increased risk of respiratory distress and death when combined with alcohol

Combining sleep medications with alcohol is especially dangerous and can lead to death

## Sedatives

**Valium, Xanax, Ambien**

Loss of coordination, slowed reflexes, respiratory depression, aggressive behavior, hallucinations, inability to form memories while taking

Sudden withdrawal can cause convulsions and delirium



**f** @MoSafeRx

**Prevent Prescription Drug Misuse**

[rx.missouri.edu](http://rx.missouri.edu)



Created with assistance from the Missouri Department of Mental Health and the Missouri Opioid State Targeted Response (STR) and Missouri State Opioid Response (SOR)

MACHB 2020, N=8769

# Keep Your Medications Safe

## Don't Share Your Medications

Medications prescribed to you are for you alone and can have very dangerous effects on those you share with! It is also illegal to share your medications with others- you can be convicted as a drug dealer.

## Keep Your Medications Low-Profile

To avoid pressure to share your medications, keep them on the down low and don't advertise them.

## Properly Dispose of Old/Unused Medications

Take unused medications to your local disposal drop-box or take-back event! You can find out where and when these are held at [rx.missouri.edu/resources](http://rx.missouri.edu/resources).



## Prevent Prescription Drug Misuse

[rx.missouri.edu](http://rx.missouri.edu)



[f @MoSafeRx](#)



Created with assistance from the Missouri Department of Mental Health and the Missouri Opioid State Targeted Response (STR) and Missouri State Opioid Response (SOR)

MACHB 2020, N=8769



**It is ILLEGAL  
to take prescription drugs  
without a prescription.**

**It is ILLEGAL  
to distribute prescription  
drugs to anyone.**

This includes just giving  
a pill or two to a friend.



[f @MoSafeRx](#)

**Prevent Prescription Drug Misuse**

[rx.missouri.edu](http://rx.missouri.edu)



Created with assistance from the Missouri Department of Mental Health and the Missouri Opioid State Targeted Response (STR)  
and Missouri State Opioid Response (SOR)

MACHB 2020, N=8769



# Prevent Prescription Drug Misuse



@MoSafeRx

[rx.missouri.edu](http://rx.missouri.edu)